

MD-101 Demo

Question: 1

You need to capture the required information for the sales department computers to meet the technical

requirements.

Which Windows PowerShell command should you run first?

- A. Install-Module WindowsAutoPilotIntune
- B. Install-Script Get-WindowsAutoPilotInfo
- C. Import-AutoPilotCSV
- D. Get-WindowsAutoPilotInfo

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows/deployment/windows-autopilot/existing-devices>

"This topic describes how to convert Windows 7 or Windows 8.1 domain-joined computers to Windows 10 devices joined to either Azure Active Directory or Active Directory (Hybrid Azure AD Join) by using Windows Autopilot"

Question: 2

HOTSPOT

You need to resolve the performance issues in the Los Angeles office.

How should you configure the update settings? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Change Delivery Optimization
download mode to:**

| | |
|--|--------------------------|
| | <input type="checkbox"/> |
| Bypass mode | <input type="checkbox"/> |
| HTTP blended with internet peering | <input type="checkbox"/> |
| HTTP blended with peering behind same NAT | <input type="checkbox"/> |
| Simple download mode with no peering | <input type="checkbox"/> |

Update Active Hours Start to:

| | |
|--------------|--------------------------|
| | <input type="checkbox"/> |
| 10 AM | <input type="checkbox"/> |
| 11 AM | <input type="checkbox"/> |
| 10 PM | <input type="checkbox"/> |
| 11 PM | <input type="checkbox"/> |

Update Active Hours End to:

| | |
|--------------|--------------------------|
| | <input type="checkbox"/> |
| 10 AM | <input type="checkbox"/> |
| 11 AM | <input type="checkbox"/> |
| 10 PM | <input type="checkbox"/> |
| 11 PM | <input type="checkbox"/> |

Answer:

Explanation:

Change Delivery Optimization download mode to:

| | |
|-------------------------------------|---|
| <input type="checkbox"/> | Bypass mode |
| <input type="checkbox"/> | HTTP blended with internet peering |
| <input checked="" type="checkbox"/> | HTTP blended with peering behind same NAT |
| <input type="checkbox"/> | Simple download mode with no peering |

Update Active Hours Start to:

| | |
|-------------------------------------|-------|
| <input type="checkbox"/> | 10 AM |
| <input checked="" type="checkbox"/> | 11 AM |
| <input type="checkbox"/> | 10 PM |
| <input type="checkbox"/> | 11 PM |

Update Active Hours End to:

| | |
|-------------------------------------|-------|
| <input type="checkbox"/> | 10 AM |
| <input type="checkbox"/> | 11 AM |
| <input type="checkbox"/> | 10 PM |
| <input checked="" type="checkbox"/> | 11 PM |

Reference:

<https://docs.microsoft.com/en-us/windows/deployment/update/waas-delivery-optimization>

<https://2pintsoftware.com/delivery-optimization-dl-mode/>

Question: 3

What should you configure to meet the technical requirements for the Azure AD-joined computers?

- A. Windows Hello for Business from the Microsoft Intune blade in the Azure portal.
- B. The Accounts options in an endpoint protection profile.
- C. The Password Policy settings in a Group Policy object (GPO).
- D. A password policy from the Microsoft Office 365 portal.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows/security/identity-protection/hello-for-business/hello-manage-inorganization>

Question: 4

HOTSPOT

You need to meet the OOBE requirements for Windows AutoPilot.

Which two settings should you configure from the Azure Active Directory blade? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Overview

Getting started

Manage

| |
|------------------------------|
| Users |
| Groups |
| Organizational relationships |
| Roles and administrators |
| Enterprise applications |
| Devices |
| App registrations |
| App registrations (Preview) |
| Application proxy |
| Licenses |
| Azure AD Connect |
| Custom domain names |
| Mobility (MDM and MAM) |
| Password reset |
| Company branding |
| User settings |
| Properties |
| Notifications settings |

Answer:

Explanation:

| |
|-----------------------------|
| Enterprise applications |
| Devices |
| App registrations |
| App registrations (Preview) |
| Application proxy |
| Licenses |
| Azure AD Connect |
| Custom domain names |
| Mobility (MDM and MAM) |
| Password reset |
| Company branding |
| User settings |
| Properties |
| Notifications settings |

Reference:

<https://blogs.msdn.microsoft.com/sgern/2018/10/11/intune-intune-and-autopilot-part-3-preparing-your-environment/>

<https://blogs.msdn.microsoft.com/sgern/2018/11/27/intune-intune-and-autopilot-part-4-enroll-your-first-device/>

Question: 5

What should you use to meet the technical requirements for Azure DevOps?

- A. An app protection policy
- B. Windows Information Protection (WIP)
- C. Conditional access
- D. A device configuration profile

Answer: C

Explanation:

Reference:

[https://docs.microsoft.com/en-us/azure/devops/organizations/accounts/manage-conditional-access?](https://docs.microsoft.com/en-us/azure/devops/organizations/accounts/manage-conditional-access?view=azure-devops)

[view=azure-devops](https://docs.microsoft.com/en-us/azure/devops/organizations/accounts/manage-conditional-access?view=azure-devops)